

# SAFETY DATA SHEET

Fusil®

## Fusil® 300

### 1. Chemicals and Company Identification

**Commercial product name:** Fumed Silica Fusil 300  
**Product common name:** silicon dioxide  
**Company:** Dalian Fuchang Chemical Co., Ltd.  
**Address:** 419R, 570#, Changjiang Rd, Dalian, Liaoning, China. 116011  
**Website Address:** <http://www.fuchangchem.com>  
**Code:** 116011  
**E-mail:** [info@fuchangchem.com](mailto:info@fuchangchem.com)/[louisa0907@126.com](mailto:louisa0907@126.com)  
**Telephone/Fax:** 0411-8360-7405  
**Technical manual coding:** 002024  
**Effective date:** May 1, 2020

### 2. Hazards identification

**Classification of the substance or mixture**  
**Classification according to Regulation (EC) No. 1272/2008 [CLP]**  
Not a hazardous material according to the Directive (EEC) No. 1272/2008 .  
**Classification as per Directive 67/548/EC or Directive 1999/45/EC**  
Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC.  
**Label elements:**  
**Labeling as per (EU) 1272/2008**  
Statutory basis: Labeling not required according to EU-CLP Ordinance (1272/2008).  
**Other hazards:**  
A PBT/vPvB assessment is not applicable, as the product contains only inorganic components.

### 3. Composition/information on ingredients

**Substances**  
**Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008**  
**Silicon dioxide, chemically prepared**  
CAS-No. 112945-52-5 7631-86-9  
EC-No. 231-545-4  
Remarks Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.  
**Information on ingredients / Hazardous components as per Directive 67/548/EC or Directive 1999/45/EC**  
**..Silicon dioxide, chemically prepared**  
CAS-No. 112945-52-5 7631-86-9

# SAFETY DATA SHEET

Fusil®

## Fusil® 300

EC-No. 231-545-4

Texts of H phrases, see in Chapter 16

See chapter 16 for text of risk phrases

### Mixtures

-

#### 4. Emergency measures

#### **Skin contact:**

1. Remove contaminated clothing, rinse with running water.
2. Eases the flow of water and soapy water, rinse the affected area, and continued about 15 to 20 minutes.
3. If it has continued to stimulate the induction for medical treatment.

#### **Eye contact:**

1. Avoid patients to rub your eyes or eyes closed;
2. Contact lenses must be removed or water rusher out;
3. Carefully turn the injured upper and lower eyelids with warm water to flush contaminated eyes more than 15~20 minutes .After washing, there is still excitement, and then repeatedly washed;
4. Covering his eyes with gauze and Immediate medical examination and treatment.

#### **Inhalation:**

1. Before the ambulance to do their own protective measures to ensure their own Safety, Take the sources of pollution or the patient to fresh air.
2. Loosening the shackles of clothing and keep the airway open.
3. If breathing is difficult, oxygen supply.
4. If breathing has stopped, first aid training should be given artificial respiration.
5. If the cardiac arrest immediately subjected to cardiopulmonary rehabilitation surgery (CPR), give oxygen.
6. Attention to the body insulation, and to stabilize the injured mood, immediately seek medical.

#### **Ingestion:**

1. If Consciousness of the patient is clear, immediately drink some warm water to induce vomit;
2. If the patient is about to lose consciousness or convulsions, do not feed anything by mouth;
3. If Patients occur spontaneous vomit, allowed to lean forward to reduce the risk of ingestion;
4. Immediate medical examination and treatment.

**The doctor guidelines** : No Data

# SAFETY DATA SHEET

Fusil®

## Fusil® 300

### 5. Fire-fighting measures

**hazardous characteristics:** Can react violently and  $\text{ClF}_3$ ,  $\text{MnF}_3$ ,  $\text{F}_2\text{O}_3$ .  
**Hazardous combustion products:** Natural products of decomposition is unknown  
**Firefighting methods:** 1. This product can't burn;

### 6. ACCIDENTAL RELEASE MEASURES

#### Emergency treatment:

1. All personnel should follow instructions to evacuate to designated safe areas in the spill area;
2. Assigned need to enter the spill area, wear personal protective equipment in accordance with the demand for personal protective equipment, wear should carry out the necessary checks before entering, and confirmed by the rescue team leader;
3. Do not direct contact with the spill;
4. When a small amount of leak, should be carefully sweeping, avoid dust, bag placed transfer to a safe place; large number of leak, collect the recycled or sent to waste disposal sites;

#### Environmental Considerations:

Scrub the contaminated area with water and diluted sewage shall be discharged into the waste water system for processing, to avoid entry into sewers, storm drains or other confined space, pollute the environment;

### 7. Handling and storage

#### Handling Precautions:

1. When carrying, wear personal protective equipment (the PPE), do not use the drag, pull, roll, kick, etc.;
2. Do not directly related to physical contact;
3. Prepare emergency response equipment can be ready to deal with leaks;
4. Need to have the label containers tightly closed when not in use, should be tightly covered container or empty barrels;

#### Storage note:

1. Special precautions for storage;
2. Stored in well-ventilated, secure, and avoid the sun and rain;
3. Storage areas only allow workers to access and set the emergency exit, Stored in labeled containers, prevention of confusion with other chemicals;
4. Do all kinds of anti-static measures;

# SAFETY DATA SHEET

Fusil®

## Fusil® 300

### 8. Contact controls / personal protection

**Maximum allowable concentration:** IDLH: 3000 mg/m<sup>3</sup>

Contact limit				
Name	China MAC	USA TLV-TWA	Former Soviet MAC	USA TLV-STEL
Silica, amorphous	1 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	No Standards

<p><b>Monitoring methods:</b> The pyrophosphate Quality method</p> <p><b>Engineering controls:</b> Closed operation , local exhaust ventilation , preferably wet operation.</p> <p><b>Respiratory protection:</b> Workers in their daily work with a dust mask. Concentration of dust carried in accordance with standard safety facilities;</p> <p><b>NIOSH Standard:</b></p> <ul style="list-style-type: none"><li>(1) 30 mg/m<sup>3</sup> Dust-proof anti- smoke respirator;</li><li>(2) 60 mg/m<sup>3</sup> Dust outside the masks disgust respirators , supplied-air respirator;</li><li>(3) 150 mg/m<sup>3</sup> Continuous air-supplied respirator, power driver with a dust filter layer air purifying respirator;</li><li>(4) 300 mg/m<sup>3</sup> Efficient filter layer anti- particles with full face respirator, continuous air supply respirator mask close to the face;</li><li>(5) 3000 mg/m<sup>3</sup> Supply positive pressure full face mask mechanical ventilation</li></ul> <p>Emergency or planned entry into unknown concentrations region, or in the immediate life-threatening or health status: self-contained positive pressure full face mask respirator, comprehensive supply positive pressure respirator with auxiliary self-contained positive pressure breathing apparatus;</p> <ul style="list-style-type: none"><li>(6) Escape: Efficient filter layer of a comprehensive anti- particulate respirator, self-contained escape respirator;</li></ul> <p><b>Eye Protection:</b> Use of safety masks</p> <p><b>Physical protection:</b> Wear overalls and work shoes;</p> <p><b>Hand Protection:</b> Generally do not need special protection , if necessary, with protective gloves;</p> <p><b>Other protective:</b> —</p>
--

### 9. Physical and chemical properties

<p><b>Appearance and character:</b> White fluffy powder</p> <p><b>Suspension (4%) pH value:</b> 3.6~4.5</p> <p><b>Melting point (°C) :</b> 1750 °C</p>	<p><b>Proportion:</b> 2.319~2.653</p>
--	---------------------------------------

# SAFETY DATA SHEET

Fusil®

## Fusil® 300

<b>Specific surface area:</b> 100~400 m <sup>2</sup> /g	<b>Primary particle size:</b> 7~40nm
<b>Apparent density:</b> ≤50g/L	
<b>Saturated vapor pressure (kPa) :-</b>	<b>Heat of combustion (kJ/mol) : —</b>
<b>Critical temperature (°C) :—</b>	<b>Critical pressure (MPa) : —</b>
<b>Flash point: -</b>	<b>Ignition temperature: -</b>
<b>Upper explosive limit% (V/V) :-</b>	<b>Lower explosive limit% (V/V) :-</b>
<b>Solubility:</b> Insoluble in water, soluble in caustic potash (sodium ) and hydrofluoric acid, when heated;	
<b>Other physical and chemical properties: —</b>	

### 10. Stability and reactivity

<b>Stability:</b> Stable under normal circumstances
<b>Materials to avoid:</b> ClF <sub>3</sub> , MnF <sub>3</sub> , F <sub>2</sub> O <sub>3</sub>
<b>Avoid contact with conditions:</b> Contact may react violently.
<b>Hazardous Polymerization:</b> No Data
<b>Decomposition products:</b> No Data

### 11. Toxicological information

<b>Acute toxicity:</b>
LD50: No Data
LC50: No Data
<b>Subacute and chronic toxicity: —</b>
<b>Irritating: -</b>
<b>Sensitization: -</b>
<b>Mutagenicity: —</b>
<b>Teratogenicity: —</b>
<b>carcinogenicity: —</b>

### 12. Ecological Information

<b>Ecotoxicity:</b> No Data
<b>Biodegradability:</b> No Data
<b>Bioconcentration or bioaccumulation:</b> No Data
<b>Non-biodegradable:</b> No Data
<b>Other harmful effects: —</b>

### 13. Waste disposal

<b>Waste characteristics:</b>
<input type="checkbox"/> Hazardous waste
<input checked="" type="checkbox"/> Industrial solid waste

# SAFETY DATA SHEET

Fusil®

## Fusil® 300

### Waste Disposal Method:

1. Refer to the relevant laws and regulations;
2. Storage of waste to be processed in accordance with the storage conditions;
3. Take specific incineration or health and safety landfill method;

**Waste Note:** No Data

## 14. Transport information

**Dangerous Goods Code:** No Data

**Packaging and marking:** Bags shall be accompanied by a lasting, clear signage, product name, batch number, grade, net weight, trademarks, product name, the address of manufacturing plant, production date and the standard flag.

**Packing Group:** No Data

**Packaging methods:** No Data

**Transport considerations:** Packaging should be complete in the time of shipment, loading should be reliable. During transport to ensure that the container does not leak, not collapse, not fall, not damage. It is strictly prohibited to mix with the Halide. The product should prevent insoluble, prevent the rain, the high temperature in Transit.

Sea Transport (IMDG): Not subject to IMDG code.

## 15. Regulatory Information

### 1. Regulatory Information:

- 1) Domestic chemical safety regulatory information;
- 2) Hazardous Chemical Safety Management Regulations;
- 3) Detailed rules for the implementation of the safety management of chemical dangerous goods Ordinance;
- 4) Workplace safety use chemicals rules ([1996] Ministry of Labor No. 423) and other regulations;
- 5) The relevant provisions of the safe use of hazardous chemicals, production, storage, transportation, loading and unloading;

**2. International laws and regulations:** —

### 16. Other Information

**References:** —

**Filling time:** May, 2020

**Guidance departments** R & D department **Tabulator** **Telephone**

**Data audit unit:**